

LINE G LINEA

BEST POLISHING JEWELLERY SYSTEM

S
I
L
V
E
R

G
O
L
D



2nd STEP
EN-34

FEEL FREE TO DESIGN:

- Sharp angles
- Depressed or concave areas
- Intricated prongs. **FILIGREE**

Increase **QUALITY**
Decrease **COST**
Decrease **LOSS**



ANTES
BEFORE



1er PASO
1st STEP



2º PASO
2nd STEP



JUST
CAST

1st
STEP

2nd
STEP



S
I
L
V
E
R

A
N
D

B
R
A
S
S



1st STEP
PMG-130



2nd STEP
SP-211



G
O
L
D

A
L
L
O
Y
S



1st STEP
GP-G10



2nd STEP
EN-44
1 Rack



2nd STEP
EN-442
2 Racks



ANTES - BEFORE



1er PASO - 1st STEP



2º PASO - 2nd STEP

HISPANA

de Maquinaria, S.A.

Tel. +34 93 3091707 Fax. + 34 93 3090702

e-mail: hispana@hispanaspain.com

internet: <http://www.hispanaspain.com>

C/ Can Cuiàs, 24-26 - Pol.Ind. Can Cuiàs, nave 20/1
Montcada i Reixac 08110 - Barcelona - España (Spain)

CAPACITY OF PRODUCTION

One hook can hold more of one piece in some models



1 hook , 1 piece



Racks PMG 130 - PMG 200			Racks GP-SP		
Code	Ø mm.	Hooks	Code	Ø mm.	Hooks
KA010305	1,6	3*23=69 hooks	KA012301	1,6	2*13=26 hooks
KA010306	1,6	3*45=135 hooks	KA012304	1,6	2*23=46 hooks
KA010300	2	3*23=69 hooks	KA012302	2	2*23=46 hooks
KA010302	2	3*45=135 hooks	KA012303	2	2*33=66 hooks
Code		For pins	Code		For pins
KA010310	-	3*23=69	KA012311	-	2*23=46

Racks EN-34			Racks EN-44			Racks EN-442
Code	Ø mm.	Hooks	Code	Ø mm.	Hooks	Hooks
KA012427	1,6	1*9= 9 hooks	KA012301C	1,6	1*13=13 hooks	2*13=26 hooks
KA012428	1,6	1*14=14 hooks	KA012304C	1,6	1*23=23 hooks	2*23=46 hooks
KA012429	1,6	1*21=21 hooks	KA012302C	2	1*23=23 hooks	2*23=46 hooks
Code		For pins	Code		For pins	For pins
KA012431	-	1*14=14	KA012303C	2	1*33=33 hooks	2*33=66 hooks
			KA012311C	-	1*23=23	2*23=46

IS ALSO OFFERING YOU:

- **Increase** the **quality**, decrease **cost** (saving specialized hand labour)
- **Decrease** the **metal removed** and recovers a higher percentage when refining.



Some pieces require more than one hook



TIME. Depending from **QUALITY** of Forming Process and Previous Selective **GRINDING**



2nd STEP

Type of jewelry	Minutes	
	From	Up to
Casting	15	40
Casting direct from prototyping	30	60
Electroforming and stamping	10	30
Selective laser sintering	50	240



HISPANA

de Maquinaria, S.A.





Tel. +34 93 3091707 Fax. + 34 93 3090702

e-mail: hispana@hispanaspain.com

internet: <http://www.hispanaspain.com>

C/ Can Cuiàs, 24-26 - Pol.Ind. Can Cuiàs, nave 20/1
Montcada i Reixac 08110 - Barcelona - España (Spain)

PROCESS - STEPS

**1st STEP**PROCESS ON **OPEN SURFACES**1 minuto - *minute***2nd STEP**PROCESS ON **INSIDES, REACHES RECESSED AREAS, FILIGREE AND JEWELS WITH STONES CAST IN PLACE.**30 minutos - *minutes*

CARACTERISTICAS	CHARACTERISTICS		PMG-130	PMG-200	PMG-200-L
CODIGO	CODE		KA010100	KA010090	
Potencia instalada	Power installed	Amp.	11	14	14
Consumo	Consumption	Kw.	2,4	3,1	3,1
Peso aprox.	Aprox. Weight	kgs.	330/420	350/440	377/450
Peso dotacion productos inicial	Weight of products to start	kgs.	110	110	127
Medidas sin filtro	Sizes without filter	cms.	114*96*161	114*96*161	114*96*161
Medidas filtro	Filter sizes	cms.	-	-	62*36*70
Medidas embalaje	Packing sizes	cms.	128*110*182	128*110*182	128*110*182
Medidas embalaje filtro	Filter packing sizes	cms.	-	-	64*43*90

CARACTERISTICAS	CHARACTERISTICS		SP-211	GP-G10	EN-44	EN-442	EN-34
CODIGO	CODE		KA012110	KA012100	KA012180	KA012200	KA012150
Potencia instalada	Power installed	W.	1450	1450	1450	1500	340
Consumo	Consumption	W.	700-1450	700-1450	700-1450	-	200-340
Peso aprox.	Aprox. Weight	kgs.	100	114	95	150	36
Peso dotacion productos inicial	Weight of products to start	kgs.	60	70	50	23	40
Medidas sin cuba enjuague	Sizes w/o rinsing tank	cms.	59*88*68	59*88*68	40*73*94	79*67*98	45*39*37
Medidas con cuba enjuague	Sizes with rinsing tank	cms.	71*88*68	71*88*68	62*73*94	79*83*98	66*39*37
Medidas embalaje	Packing sizes	cms.	97*68*120	97*68*120	94*80*120	-	68*46*59

HISPANA

de Maquinaria, S.A.

Tel. +34 93 3091707 Fax. + 34 93 3090702

e-mail: hispana@hispanaspain.cominternet: <http://www.hispanaspain.com>C/ Can Cuiàs, 24-26 - Pol.Ind. Can Cuiàs, nave 20/1
Montcada i Reixac 08110 - Barcelona - España (Spain)

I
N
S
T
A
L
L
A
T
I
O
N
S**GOLD - GP + EN44** (1st / 2nd STEP)

EN-44

Ultrasonidos
*Ultrasonic*Soporte bastidor
Racks support

GP-G10

SILVER - GP + SP (1st / 2nd STEP)

SP-211

Ultrasonidos
*Ultrasonic*Soporte bastidor
Racks support

GP-G10

SILVER - PMG + SP (1st / 2nd STEP)

SP-211

Ultrasonidos
*Ultrasonic*Soporte bastidor
Racks support

PMG

HISPANA

de Maquinaria, S.A.

Tel. +34 93 3091707 Fax. + 34 93 3090702

e-mail: hispana@hispanaspain.cominternet: <http://www.hispanaspain.com>C/ Can Cuiàs, 24-26 - Pol.Ind. Can Cuiàs, nave 20/1
Montcada i Reixac 08110 - Barcelona - España (Spain)